



## MERKEL® KOMBILON 6742

### DESCRIPTION


- Braided and impregnated stuffing box packing
- Square cross-section
- Made of elastic braiding combination of carbon and PTFE yarns
- Impregnated with special PTFE compound and running-in lubricant

### FUNCTION

- Sealing of rotating shafts or translating rods
- Sealing effect due to axial compression by means of stuffing box gland
- Low friction forces and high elasticity due to special structure
- Elasticity even after long periods of operation and under high-pressure loads
- Specially prepared carbon yarn is very flexible and gentle to the shaft

### PRODUCT ADVANTAGES

- Low leakage rates even with slight shaft deflection
- Long service life
- Excellent resilience
- Excellent performance even at high temperatures



### APPLICATIONS

- Fittings
- Centrifugal pumps
- Mixers and agitators
- Designed for rotary pumps, agitators and mixers

### APPLICATION LIMITS

- Speed: 20 m/s
- Temperature: -100 ... +280°C
- pH Value: 0 ... 14
- Pressure: 2.5 MPa

### MEDIA RESISTANCE

- Alkalies, all forms of solvents, alcohols, ketones, esters, oils, acids, hot water, boiler lye, brine, ammonia
- Exceptions: heavily oxidising acids

### CONFORMITY AND CERTIFICATES

- Please consult the material data sheet valid for the respective material for current information on approvals and certificates, as this information depends on the compound and cannot be listed exhaustively here.

### DESIGN GUIDELINE

- Installation space cleaned and free of deposits or old packing rings

### INSTALLATION GUIDELINE

- Cut packings to length with butt or diagonal cut depending on application
- Assemble and crimp rings individually with cut ends first
- Distribute cuts symmetrically around the circumference to avoid leakage paths



## MERKEL® KOMBILON 6742



- Tighten gland nuts evenly

### STORAGE ADVISE

- Storage temperature <25°C
- No direct heat sources
- No direct sunlight
- No condensation in the storage room
- No exposure to ozone or ionizing radiation
- Recommendations based on the revision of ISO 2230 dated 16.09.1992

The name Merkel® is a registered trademark of the Freudenberg company. The information contained herein is believed to be reliable, but no representations, warranties or guarantees of any kind are made as to its accuracy or suitability for any purpose. The information reproduced herein is based on laboratory testing and is not necessarily indicative of end product performance. Complete testing and performance of the end product is the responsibility of the user.  
© Freudenberg FST GmbH | [www.fst.com](http://www.fst.com)